| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|---|--------------------|---------------------|---------|------------------|
| S1 | 3454 | (user or client) with (performance near5 data) | US-PGPUB; USPAT | OR | ON | 2004/11/05 15:10 |
| S2 | 1972 | ((user or client) with (performance near5 data)) and @ad<"20010627" | US-PGPUB; USPAT | OR | ON | 2004/11/05 15:11 |
| S3 | 1972 | (((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation) | US-PGPUB; USPAT | OR | ON | 2004/11/05 13:41 |
| S4 | 1171 | ((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server) | US-PGPUB; USPAT | OR | ON | 2004/11/05 14:15 |
| S5 | 867 | (((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server)) and (portion or partial) | US-PGPUB; USPAT | OR | ON | 2004/11/05 14:14 |
| S6 | 784 | ((((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server)) and (portion or partial)) and (send\$3 or transmi\$6) | US-PGPUB; USPAT | OR | ON | 2004/11/05 13:43 |
| S7 | 423 | ((((((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server)) and (portion or partial)) and (send\$3 or transmi\$6)) and @ad<"19990627" | US-PGPUB; USPAT | OR | ON | 2004/11/05 13:44 |
| S8 | 2565 | (collect\$3 or aggregat\$3) with (performance near5 data) | US-PGPUB; USPAT | OR | ON | 2004/11/05 13:46 |
| S9 | 307 | (((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data)) | US-PGPUB; USPAT | OR | ON | 2004/11/05 13:46 |
| S10 | 218 | ((((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))) and (portion or partial) | US-PGPUB; USPAT | OR | ON | 2004/11/05 14:15 |
| S11 | 160 | (((((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))) and (portion or partial)) and (vendor or server) | US-PGPUB; USPAT | OR | ON | 2004/11/05 14:15 |

9/30/06 8:24:28 PM

| S12 | 154 | ((((((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))) and (portion or partial)) and (vendor or server)) and access\$3 | US-PGPUB; USPAT | OR | ON | 2004/11/05 14:16 |
|-----|------|--|---|-----|----|------------------|
| S13 | 4 | (user or client) with (prevent\$3 adj5 access\$3) with (performance near5 data) | US-PGPUB; USPAT | OR | ON | 2004/11/05 15:00 |
| S14 | 59 | (enable near8 access\$3) with (performance near5 data) | US-PGPUB; USPAT | OR | ON | 2004/11/05 15:11 |
| S15 | 36 | ((enable near8 access\$3) with (performance near5 data)) and @ad<"20010627" | US-PGPUB; USPAT | OR | ON | 2006/09/30 15:18 |
| S16 | 2 | "892424".ap. | US-PGPUB; USPAT | OR | ON | 2004/11/08 16:10 |
| S18 | 5367 | 709/224.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:18 |
| S19 | 2482 | 709/225.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:18 |
| S20 | 3125 | 709/229.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:18 |
| S21 | 9813 | S18 or S19 or S20 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:19 |
| S22 | 426 | (((((((user or client) with (performance near5 data)) and @ad<"20010627") and (user or client or terminal or workstation)) and (vendor or server)) and (portion or partial)) and (send\$3 or transmi\$6)) and @ad<"19990627" | US-PGPUB; USPAT | OR | ON | 2006/09/30 15:19 |

| | | | | | г | · · · · · · · · · · · · · · · · · · · |
|-----|-----|---|---|-----|----|---------------------------------------|
| S23 | 426 | S22 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:20 |
| S24 | 343 | (((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data)) | US-PGPUB; USPAT | OR | ON | 2006/09/30 15:20 |
| S25 | 343 | S24 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:20 |
| S26 | 177 | ((((((user or client) with (performance near5 data)) and @ad<"20010627") and ((collect\$3 or aggregat\$3) with (performance near5 data))) and (portion or partial)) and (vendor or server)) and access\$3 | US-PGPUB; USPAT | OR | ON | 2006/09/30 15:20 |
| S27 | 177 | S26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:20 |
| S28 | 41 | ((enable near8 access\$3) with (performance near5 data)) and @ad<"20010627" | US-PGPUB; USPAT | OR | ON | 2006/09/30 15:20 |
| S29 | 41 | S28 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:20 |
| S30 | 47 | S21 and S23 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:20 |
| S31 | 71 | S21 and S25 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:21 |

9/30/06 8:24:28 PM

| S32 | 40 | S21 and S27 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:21 |
|-----|----|-------------|---|-----|----|------------------|
| S33 | 4 | S21 and S28 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2006/09/30 15:21 |

9/30/06 8:24:28 PM Page 4